₩

Rainbow-G15D-Q7 WEC7 のライセンス及びサポート

アイウェーブは Rainbow-G15D-Q7 WEC7 のライセンス及びサポートを次の条件でご提供いたします。

- 標準仕様開発ライセンス
- プレミアム仕様開発ライセンス
- ・ テクニカルサポート(有償)

WEC7 BSP のソースコード:

- WEC7 BSP のソースコードは次の区分でご提供しております。(細部はお問い合わせください)
 Freescale Sabre SDP / SDB / Lite、iWave's i.MX6 Rainbow-G15D
 スタンダード / プレミアム
- 1プロジェクト 1プロダクト ライセンスを前提とします。
- Microsoft 殿に対するライセンス費用は、含まれておりません。
- ・プレミアム機能を使用するときには、スタンダード機能もご発注いただく必要があります。
- ・ テクニカルサポートは、別途有償で対応いたします。

開発キット:

iW-Rainbow-G15D の価格は、お問い合わせください。
 WEC7 のバイナリ BSP が評価用として添付されています。

テクニカルサポート:

- キャリアカードや、システム開発に関わるテクニカルサポートは、別途有償で対応いたします。
- WEC7 のテクニカルサポート費用は、お問い合わせください。
 e-mail 若しくは、Skype でのサポートを前提とします。

標準仕様に含まれる機能は、以下の通りです:

- CPU: i.MX6 Quad/Dual Lite 1GHz
- 1 GB DDR3 RAM
- Boot loader EBOOT
- Standard SD (boot & OS storage)
- Debug Serial console
- SATA 3.0 1 Port
- Standard SD 2nd Port
- HDMI 1 Port
- Gigabit Ethernet
- USB 2.0 OTG(Host or Device)
- RTC
- PWM & GPIO support

- LVDS LCD (HSD100)
- eGalaxy capacitive touch
- Multimedia Codecs
- DirectShow filters for decode
- GPU (Open GL, Open VG)
- Active Sync support
- KITL debugger support
- Hive registry support
- CETK support

プレミアム仕様に含まれる機能は、以下の通りです:

- eMMC Boot/Storage
- I2S Audio Codec (WM8962)
- PCIe 2.0 x 1 lane
- CMOS Camera
- CAN
- MAX8903 Battery Charger
- Light Sensor ISL129023
- 3 axis Accelerometer
- GPU (DirectDraw)
- DirectShow filters for encode
- Power Management